



National Fenestration
Rating Council®

CERTIFIED

TROPHY
MODEL SH82/SH82T Single Hung
VINYL FRAME – No Grids
Double Glaze / Low E 366 /
Argon Fill

CPD- # TRO-A-1-00004-00001

ENERGY PERFORMANCE RATINGS

U-Factor (U.S. / I-P)	Solar Heat Gain Coefficient
0.29	0.22

ADDITIONAL PERFORMANCE RATINGS

Visual Transmittance	-----
0.53	

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrc.org



National Fenestration
Rating Council

CERTIFIED

**TROPHY
MODEL SH82/SH82T Single Hung
VINYL FRAME – With Grids
Double Glaze / Low E 366 /
Argon Fill**

CPD- # TRO-A-1-00004-00002

ENERGY PERFORMANCE RATINGS

U-Factor (U.S. / I-P) 0.29	Solar Heat Gain Coefficient 0.20
--------------------------------------	--

ADDITIONAL PERFORMANCE RATINGS

Visual Transmittance 0.47	-----
-------------------------------------	-------

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information www.nfrc.org



TROPHY
MODEL PW83 FIXED
VINYL FRAME -With Grids
Double SS Glaze / Low E 366 /
ARGON Fill

CPD- # TRO-A-300004-00002

ENERGY PERFORMANCE RATINGS

U-Factor (U.S. / I-P)

0.27

Solar Heat Gain Coefficient

0.21

ADDITIONAL PERFORMANCE RATINGS

Visual Transmittance

0.49

Manufacturer stipulates that these ratings conform to applicable NFRCC procedures for determining whole product performance. NFRCC ratings are determined for a fixed set of environmental conditions and specific product size. NFRCC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrcc.org



National Fenestration
Rating Council

CERTIFIED

**TROPHY
MODEL PW83 FIXED
VINYL FRAME -With Grids
Double SS Glaze / Low E 366 / Air
Fill**

CPD- # TRO-A-300001-00002

ENERGY PERFORMANCE RATINGS

U-Factor (U.S. / I-P)

0.31

Solar Heat Gain Coefficient

0.22

ADDITIONAL PERFORMANCE RATINGS

Visual Transmittance

0.49

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult Manufacturer's literature for other product performance information. www.nfrc.org